

Haier
Inspired Living



Haier Kitchen Appliances

Haier
Inspired Living

keep your nutritious life



CUSTOMIZING HEALTHY LIFE

Haier's Vision

In the Internet Era, becoming to a service provider to serve the best smart life experience that enable user's participation and personalization; creating an entrepreneurial and opened platform for employees and all the society, enable individual to become their own CEO.

Haier's Mission


Haier is transforming into a real networked enterprise, becoming a node of Internet's interconnection that interacts with all sort of resources, creating a co-creation and win-win ecosystem that based on the value of user's interaction in the post e-commerce area, creating the best user experience in all processes, realizing the win-win and added value for all related stakeholders.



Development History

Haier was founded on december 26, 1984. under the guidance of the enterprise management philosophy and business philosophy of zhang ruimin, haier group complied with the development trend of the times and continuously implemented strategic transformation. after experiencing the brand building strategy, diversification strategy, internationalization strategy, global branding strategy and networking strategy, haier has developed from the collective small factory on the verge of collapse into an ecological enterprise led by the internet of things.

The seven-year cycle at each stage is not deliberate, but the inevitable result of the opportunities and development of the times.



Globalization Network



Haier currently has 10+N Open R&D centers, 25 industrial parks, 122 manufacturing centers, 108 marketing centers and a global sales network across more than 160 countries and regions. In September 2019, Haier built the first smart IoT and mass-customization smart ecosystem industrial park in Europe in the city of Cherni, Republic of Tatarstan, Russia. In June 2019, Haier Saudi Arabia and Egypt successively transformed from the direct delivery mode to the terminal brand building mode, and established Haier Saudi Joint Venture Company and Haier Egypt Trading Company. This is Haier's first step to achieve high-end brand building in the Middle East & Africa.



Haier Kitchen Appliances Development Review

1997

MODULAR RANGE HOOD
Really realize panel removable and washable

2004

WIND CURTAIN HOOD
New breakthrough in health care

2007

THE ERA OF REFORMS
In March 2007, the standard of Household anti-drying gas hob was issued, which triggered a revolution in the hob industry.

2007, LEADING THE INDUSTRY
On September 15, 2007, the first double ring anti-drying gas hob was born in Haier.

2008

WIND CURTAIN CONVERTER HOOD
Creating a new era of healthy and energy-saving

2010

HOB & HOOD CONNECTION
New technological enabling product

2013

'DEEP-CAPACITY' RANGE HOOD
Range hood enters a new era of powerful suction

2015

BREAKTHROUGH AND UPGRADING
In April 2015, upgrade the standard of household anti-drying gas hob CAS171-2015.

DOMINATED POSITION
In October 2015, Haier anti-drying gas hob was elected as "Safety Star" of hobs.

2016

AWARD & REPUTATION
In March 2016, Haier anti-drying gas hob won the iF Design Award.

CLOUD SERIES RANGE HOOD
Lead the industry into the internet age

NO-CLEANING RANGE HOOD
Industry pioneer

2017

EMBARK ON A NEW JOURNEY
In December 2017, Standard for Haier anti-drying gas hob was officially promulgated.

2018

WIND CURTAIN 8''//RANGE HOOD
Creating Oil Smoke Catch (OSC) new system

Global Brand Strategy

6 Major Brand Layout



Award List



iF Design Award



Reddot Design Award



Best Award NZ



AWE Top Award



China Industrial Design Golden Hook Prize



Certificate of Anti-drying Gas Hob Standard



Zhidian Lab Certificate



Certificate Open Kitchen Standard



Haier

LED LIGHTS

Hood

CUSTOMIZING HEALTHY LIFE

Bigger Suction with Lower Noise



Deep Cavity Suction Patent Number
201220283712.5

Benefit



FPA Inverter Motor

Compared with the traditional BLDC motor in the industry, the FPA inverter motor uses a stator integral plastic forming technology, which makes the motor temperature rise, noise and vibration indicators have a substantial increase compared with the traditional motor.



Deep Pyramid Cavity Filter

The deep pyramid cavity structure design will expand the smoke area and generate strong suction.



BMC OVERALL PLASTIC PACKAGE MOTOR

Real Powerful

When you touch the boost function, the air flow is up to 22 m³/min with 720pa strong wind pressure.

Real Quiet

Thanks for the unique design, the noise level down to 54db.

New Direct Drive Inverter Motor



720Pa Maximum Static Pressure




48.62dB (A) Ultra Quiet Drive




1800m³/h Powerful Suction



Water and Oil Resistant




BMC Overall Sealing Technology - Lower Noise



Adopt the global standard O-shape sealing technology, it has IPX4 water proof, oil proof and dust proof.

Noise comparison between FPA motor and traditional motor



Pacific - Series

Model HIH-T895



Parameter

Type	T-Shaped
Maximum Air Flow	1350 (m ³ /h)
Maximum Power	219 (W)
Maximum Air Pressure	720 Pa
Speed	3 Step-less Slide
Net Weight	31 (Kg)
Height	610 mm
Width	895 mm
Depth	520 mm

Complimentary 1.5 X 2 Mtr Aluminium Foil (Exhaust Ventilation Pipe)



* As per Warranty card Terms & Conditions

Feature

Oil-catch Tech	Fume/Oil Separation & Collection	Fisher&Paykel Motor	Air Curtain 8" Patented Technology	Powerful Suction
Direct Drive Inverter Motor	Gesture Control 23 Step-less Slide	LED Lamp	Easy Connectivity	APP Control

Pacific - Series

Model HIH-T2903



Parameter

Type	T-shaped
Maximum Air Flow	1350 (m ³ /h)
Maximum Power	219 (W)
Maximum Air Pressure	420 Pa
Speed	3 Step-less Slide
Net Weight	28 (Kg)
Height	610 mm
Width	895 mm
Depth	520 mm

Complimentary 1.5 X 2 Mtr Aluminium Foil (Exhaust Ventilation Pipe)



* As per Warranty card Terms & Conditions

Feature

APP Control	Oil-Catch Tech Separate Grease	Hidden Grease Cup	Touch Control	LED Lamp
3 Speed	Powerful Suction			

Vision - Series

Model HIH-T90HM-V



Parameter

Type	T-shaped
Maximum Air Flow	1350 (m ³ /h)
Speed	3 Step-less Slide
Net Weight	18.5 (Kg)
Height	580 mm
Width	900 mm
Depth	450 mm

 Complimentary 1.5 X 2 Mtr Aluminium Foil (Exhaust Ventilation Pipe)



* As per Warranty card Terms & Conditions

Feature



Vision - Series

Model HIH-T60HM-V



Parameter

Type	T-shaped
Maximum Air Flow	1350 (m ³ /h)
Speed	3 Step-less Slide
Net Weight	15 (Kg)
Height	580 mm
Width	600 mm
Depth	450 mm

 Complimentary 1.5 X 2 Mtr Aluminium Foil (Exhaust Ventilation Pipe)



* As per Warranty card Terms & Conditions

Feature



Glossy - Series

Model HIH-G90HM-G



Parameter

Type	Glass
Maximum Air Flow	1200 (m ³ /h)
Speed	3 Step-less Slide
Net Weight	14.7 (Kg)
Height	557 mm
Width	865 mm
Depth	450 mm

 Complimentary 1.8 Mtr Aluminium Foil (Exhaust Ventilation Pipe)



* As per Warranty card Terms & Conditions

Feature



Glossy - Series

Model HIH-G60HM-G



Parameter

Type	Glass
Maximum Air Flow	1200 (m ³ /h)
Speed	3 Step-less Slide
Net Weight	13.1 (Kg)
Height	510 mm
Width	595 mm
Depth	450 mm

 Complimentary 1.8 Mtr Aluminium Foil (Exhaust Ventilation Pipe)



* As per Warranty card Terms & Conditions

Feature



Pioneer - Series

Model HIH-V90HM-P1/2



Parameter

Type	Vertical - Shaped
Maximum Air Flow	1350 (m ³ /h)
Speed	3 Step-less Slide
Net Weight	8.7/13.5 (Kg)
Height	400/500 mm
Width	900/380 mm
Depth	120/310 mm

 Complimentary 1.8 Mtr Aluminium Foil (Exhaust Ventilation Pipe)



* As per Warranty card Terms & Conditions

Feature

-  Gesture Control
-  Hidden Grease Cup
-  LED Lamp
-  Touch Control
-  Powerful Suction
-  3 Speed
-  Heat Auto Clean
-  Detachable Chimney&panel


Classic - Series

Model HIH-V90HM-C



Parameter

Type	Vertical - Shaped
Maximum Air Flow	1200 (m ³ /h)
Speed	3 Step-less Slide
Net Weight	18 (Kg)
Height	850 mm
Width	900 mm
Depth	340 mm

 Complimentary 1.8 Mtr Aluminium Foil (Exhaust Ventilation Pipe)



* As per Warranty card Terms & Conditions

Feature

-  Gesture Control
-  Hidden Grease Cup
-  LED Lamp
-  Touch Control
-  Powerful Suction
-  3 Speed
-  Heat Auto Clean

Classic - Series

Model HIH-V75HM-C

Classic - Series

Model HIH-V60HM-C

Parameter

Type	Vertical - Shaped
Maximum Air Flow	1200 (m ³ /h)
Speed	3 Step-less Slide
Net Weight	16.6 (Kg)
Height	850 mm
Width	750 mm
Depth	340 mm



Parameter

Type	Vertical - Shaped
Maximum Air Flow	1200 (m ³ /h)
Speed	3 Step-less Slide
Net Weight	15.5 (Kg)
Height	850 mm
Width	600 mm
Depth	340 mm



 Complimentary 1.8 Mtr Aluminium Foil (Exhaust Ventilation Pipe)

 Complimentary 1.8 Mtr Aluminium Foil (Exhaust Ventilation Pipe)

Feature

-  Gesture Control
-  Hidden Grease Cup
-  LED Lamp
-  Touch Control
-  Powerful Suction
-  3 Speed
-  Heat Auto Clean



* As per Warranty card Terms & Conditions

Feature

-  Gesture Control
-  Hidden Grease Cup
-  LED Lamp
-  Touch Control
-  Powerful Suction
-  3 Speed
-  Heat Auto Clean



* As per Warranty card Terms & Conditions



Hob

CUSTOMIZING HEALTHY LIFE

ANTI-DRYING GUARD GAS HOB

Protect Whole Family Safety



NTC Active Heat Source Tracking



Without Cookware for 3mins

Burning without cookware for 3mins automatically cut off gas.



Dry Burning for 60s

Dry burning for 60s automatically cut off gas to protect kitchen safety.



Oil Temperature < 230°C

Maintaining healthy oil temperature < 230°C, when oil temperature > 230°C, it will cut off gas automatically.



Standard maker & patent owner

Real Safety

Special NTC Active heat source tracking system to avoid the fire accidents from dry-burning or no pots.

Multi-function burning mode

Large fire range, both small fire stew, but also fire stir-fry, a machine with many functions to meets variety cooking needs.



8mm Tempered Glass

Using 8mm high-quality tempered glass, without fear of high temperature of 300 °C, with additional explosion-proof membrane, fireproof board, cushion, anti-slip mat "five" explosion-proof protection technology, let you use it with peace of mind.



Automatic Ignition Switch

No need to keep pressing, rapidly ignite the flame.



Cast Iron Pan Support

Easily match different kind of pot.

Built-in

Model HIC-B3CGAFH



Parameter

Power	2 (Burner) x 5.1 KW (TR) Wok Burner & 1 (Burner) x 1.9 KW (SR)
Burner Material	Brass Burners
Net Weight	18.5 (Kg)
Product Dimension W/D/H	900x460x92 mm
Cutting Dimension W/D	830x400 mm

Feature

- Brass Burner
- Metal Knob
- With Safety Device
- Round Cast Iron Pan Support
- Instant Ignition
- SS Drip Tray
- 8mm Tempered Glass
- Easy Connectivity



* As per Warranty card Terms & Conditions

Hybrid

Model HIC-905FCF-O



Parameter

Power	4.5kw (TR)/2x3kw (Mini TR)/1.7kw (DR)
Burner Material	Brass Burners
Net Weight	24 (Kg)
Height	55 mm
Width	900 mm
Depth	520 mm

Feature

- Round Cast Iron Pan Support
- Metal Knob
- With Safety Device
- SS Drip Tray
- Auto Electronic Ignition
- Brass Burner
- 8mm Tempered Glass
- All with Flame Guard



* As per Warranty card Terms & Conditions

Hybrid

Model HIC-904FCF-O



Parameter

Power	4.5kw (TR)/2x3kw (Mini TR)/2x1.7kw (DR)
Burner Material	Brass Burners
Net Weight	22 (Kg)
Height	55 mm
Width	900 mm
Depth	520 mm

Feature



* As per Warranty card Terms & Conditions

Hybrid

Model HIC-754FCF-O



Parameter

Power	4.5kw (TR)/3kw (Mini TR)/2x1.7kw (DR)
Burner Material	Brass Burners
Net Weight	18 (Kg)
Height	50 mm
Width	750 mm
Depth	520 mm

Feature



* As per Warranty card Terms & Conditions

Hybrid

Model HIC-654FCF-O



Parameter

Power	4.5kw (TR)/3kw (Mini TR)/2x1.7kw (DR)
Burner Material	Brass Burners
Net Weight	17 (Kg)
Height	50 mm
Width	650 mm
Depth	520 mm

Feature



* As per Warranty card Terms & Conditions

Hybrid

Model HIC-653FCF-O



Parameter

Power	4.5kw (TR)/3kw (mini TR)/1.7kw (DR)
Burner Material	Brass Burners
Net Weight	15.5 (Kg)
Height	50 mm
Width	650 mm
Depth	520 mm

Feature



* As per Warranty card Terms & Conditions

Hybrid

Model HIC-603FCF-O



Parameter

Power	4.5kw (TR)/3kw (mini TR)/1.70kw (DR)
Burner Material	Brass Burners
Net Weight	15 (Kg)
Height	50 mm
Width	600 mm
Depth	520 mm

Feature



* As per Warranty card Terms & Conditions

Tablet

Model HIC-763CF-S



Parameter

Power	3kw (TR)/2kw (mini TR)/1.5kw (DR)
Burner Material	Brass Burners
Net Weight	11.2 (Kg)
Height	28 mm
Width	760 mm
Depth	450 mm


Feature



* As per Warranty card Terms & Conditions

Tablet

Model HIC-654CF-S



Parameter

Power	2kw (mini TR)/2kw (mini TR)/2x1.5kw (DR)
Burner Material	Brass Burners
Net Weight	12 (Kg)
Height	28 mm
Width	650 mm
Depth	520 mm

Feature



Brass Burner



Auto Electronic Ignition



Round Cast Iron Pan Support



SS Drip Tray



6mm Tempered Glass



All with Flame Guard



* As per Warranty card Terms & Conditions





Oven

CUSTOMIZING HEALTHY LIFE

SMART OVEN

Eat Well Every Meal



PID algorithm



Haier oven uses PID algorithm control program to predict the time to reach the set temperature through calculus image and terminate the heating elements in advance so as to achieve $\pm 1^{\circ}\text{C}$ precise temperature control.



Real Smart


No matter where you are, the oven can be started at any time through the mobile phone APP, and the oven can be preheated and baked remotely, so there is no need to wait for delicious food.



Large Capacity

The oven has 76L large capacity, it can complete the whole family needs in one time, for example, we can bake 30 cupcakes in the same layer, 3 layers can be baked at the same time.

3D HEATING



3D Heating

Top Double Tube + Bottom + Back Heating Mode

Adoption of upper and lower 4 heating tubes, the length of more than 4 meters, with the back convection circulation fan, 360 heating, the cavity temperature is balanced and consistent, the temperature difference at each point in the oven temperature fluctuation is less than 1°C, the food is heated more evenly, exquisite dishes can be enjoyed at home.

Patented M + U Type Heating Tube

Different from the traditional heating tube, M-type + U-type heating tube can provide a more uniform radiation heat source to ensure the average distribution of temperature inside the oven and improve the quality of baking.

Built-in

Model HCO-T10U1



* As per Warranty card Terms & Conditions



Parameter

Timer	LED soft touch PCB
Capacity	76L
Glass Door	Three layer door glass
Electrical Voltage	50 - 250V
Max. Power	220-240W
Gross Weight	39 (Kg)
Product Dimension W/D/H	595x567x595 mm
Cutting Dimension W/D/H	600X600X600 mm

Feature

- Precise Temperature Control
- 76L Big Capacity
- 10 Heating Modes
- Rising Dough
- Touch Control
- Child Lock
- Six Level of Shelf
- Detachable Door
- 3D Heating
- Humanized Design
- APP Control
- 3 Layer Glass Door Panel

Function

- Bottom and Top Element On
- Full Grill
- Economy Grill
- Bottom Element
- Fan, Bottom and Top Element On
- Fan, Grill Element
- Circular Heater Fan With Bottom Element
- Circular Element Fan
- Defrost
- Ferment

Built-in

Model HIO-M59CF



* As per Warranty card Terms & Conditions



Parameter

Timer	Mechanical
Capacity	59L
Glass Door	Double
Electrical Voltage	50 - 250V
Max. Power	220-240W
Gross Weight	32 (Kg)
Product Dimension W/D/H	595x531x595 mm
Cutting Dimension W/D/H	600x600x600 mm

Feature

- Uniform Heating
- 5 Heating Modes
- Humanized Design
- Temperature Control
- 59L Big Capacity
- Five Level of Shelf

Function

- Bottom and Top Element On
- Economy Grill
- Fan Grill Element
- Circular Element Fan
- Defrost



Sterilizer

CUSTOMIZING HEALTHY LIFE

SMART STERILIZER

Make Your Life Healthier

Suitable For Indian Stainless Steel Utensils



Smart App Connction

Remote control

1. When not at home ,through smart app ,can operate certain functions like Sterilize/Dry/Smart inspection/Reservation.
2. Monitor the working status in real time.



Child Lock Protection

Press the "lock" button for 3 seconds to start the function of child lock. At this time, other operations cannot be performed, which can effectively prevent mis-operation caused by children or accidental touching.




Cold Food Sterilization

Cold food sterilization function use uv illumination under room temperature, and the processed ingredients can be stored for a longer time with better quality.

Sterilizer combined with Dish Warmer

Traditional



Seperated bowls&dishes with only sterilizer function.



Combined



Combined bowls&dishes with lower cavity as dish-warmer.



Dish Warmer

Traditional food : Keep the best flavor when it is just-cooked ready,avoid Oil condensation.

Western food : For Steak ,coffee , Dish-warmer is necessary,so then to keep the right temperature and flavor.

Sterilizer

CUSTOMIZING HEALTHY LIFE

Built-in

Model HIS-X76SWA1



Parameter

Ultra Violet Lamp Power	15W
Light-wave Tube Power	900W
Power of Fan & Heater	315W (fan 15W; Heater 300W)
Product Dimension W/D/H	595x455x598 mm
Cutting Dimension W/D	600x480 mm
Gross Weight	32.5 (Kg)

Feature



* As per Warranty card Terms & Conditions



Built-in MWO

CUSTOMIZING HEALTHY LIFE

Built-in Capable Microwave



28L Capacity

1000 Watts (IEC-705 test procedure)



Recessed Turntable

Maximizes oven space and flush design easily accommodates multiple dishes.

Built-in

Model HIM-M28SA1



* As per Warranty card Terms & Conditions

Feature



Parameter

MW input power	1450W
MW power	900W
Grill power (if grill)	1200W
Cavity volume	28L
Cuft	0.7 cu.ft.
Control	Digital
Timer	Digital
Turntable size	270 mm
Auto menu	Yes
Child safety lock	Yes
Cooking end signal	Yes
Cavity	SS
Cover	Zinc plated
Finish	SS
Product Size	595x400x384 mm
Cutting Size	600x550x400 mm
Gross Weight	18 (Kg)



Hood

- Oil-catch Tech
- Fume/Oil Separation & Collection
- Fisher&Paykel Motor
- Air Curtain 8' Patented Technology
- Touch Control
- Heat Auto Clean
- APP Control
- Hidden Grease Cup
- Direct Drive Inverter Motor
- Gesture Control 23 Step-less Slide
- LED Lamp
- Easy Connectivity
- Powerful Suction
- 3 Speed
- Big Display Screen
- Oil-Catch Tech Separate Grease
- Detachable Chimney & panel

Hob

- Brass Burner
- Metal Knob
- With Safety Device
- Round Cast Iron Pan Support
- Instant Ignition
- SS Drip Tray
- 8mm Tempered Glass
- Only 4.5KW With FFD
- 8mm Tempered Glass
- Auto Electronic Ignition
- All with Flame Guard

Oven

- Precise Temperature Control
- 76L Big Capacity
- 10 Heating Modes
- Rising Dough
- Humanized Design
- Uniform Heating
- 5 Heating Modes
- 59L Big Capacity
- Touch Control
- Child Lock
- Detachable Door
- Five Level of Shelf
- Six Level of Shelf
- 3D Heating
- 3 Layer Glass Door Panel

Sterilizer

- Light Wave Pasteurization
- Large Capacity
- One Click High Temperature
- Sterilizer Combined With Dish-warmer
- Intelligent Tracking
- Child Lock
- Cold Food Sterilization
- Indian Stainless Steel Utensils

Built-in MWO

- 28L Capacity
- Built-In Capable Microwave
- Microwave Sterilization
- Microcomputer Control
- Easy to Clean
- Recessed Turntable